12



Planning Commission **Public Hearing**

TO: PLANNING COMMISSION / DESIGN REVIEW BOARD

FROM: GILBERT OLGIN, PLANNER II

(480) 503-6745, GILBERT.OLGIN@GILBERTAZ.GOV

THROUGH: CATHERINE LORBEER, AICP, PRINCIPAL PLANNER

(480) 503-6016, CATHERINE.LORBEER@GILBERTAZ.GOV

MEETING DATE: MARCH 7, 2018

SUBJECT: DR17-1163, COMMERCIAL DEVELOPMENT FOR HHB

STRATEGIC INITIATIVE: Economic Development

Attract, retain and grow businesses that serve the local community and regional customer base as a means to increase Gilbert's sales tax revenue.

RECOMMENDED MOTION

Approve the Findings of Fact and approve DR17-1163, Commercial Development for HHB: Site plan, landscaping, grading and drainage, building elevations, colors and materials, and lighting for approximately 4.43 acres, generally located at the northeast corner of Val Vista and Riggs Roads, and zoned Shopping Center (SC).

APPLICANT/OWNER

Company: HHB VII, LLC Company: Associated Architects, Inc.

Name: Brian Johns

Address: 1425 West Elliot Road, Suite 104 Address: 6 East Palo Verde, Suite 1

Gilbert, Arizona 85233 Gilbert, Arizona 85296

Phone: 480-292-1356 Phone: 480-964-8451

Email: Marissa@hhbgroup.net Email:Brian@associated-architects.com

BACKGROUND/DISCUSSION

History

Date	Description
June 21, 2005	The Town Council adopted Ordinance No.1660 (A04-20) annexing
	224.5 acres including the subject site.
June 21, 2005	The Town Council adopted Ordinance No. 1661 (Z04-29) rezoning
	the subject site from Maricopa County, Rural Residential - 43 to
	Town of Gilbert Shopping Center (SC).
April 14, 2016	Design Review Board approved case DR16-01, CST Corner Store
	and Fueling Facility (Valero Convenience Store and Fueling
	Facility).
February 7, 2018	The Planning Commission reviewed DR17-1163(Commercial
	Development for HHB) as a Study Session item.

Overview

The subject site is part of a larger 16.64 acre site of commercial land located on the northeast corner of Val Vista Drive and Riggs Road. The proposed project will consist of five (5) new buildings to be constructed in two (2) separate phases. The proposed two buildings adjacent to Val Vista Dr., labeled as Building A and B will be developed within Phase I and the remainder of the buildings will be developed in Phase II (Buildings C, D, and E).

Staff notes this development will share access with a Circle K convenience store and fueling facility located at the far southwest corner of this larger parcel, closest to the intersection Val Vista Drive and Riggs Road.

Surrounding Land Use & Zoning Designations:

	Existing Land Use	Existing Zoning	Existing Use
	Classification		
North	Residential > 2-3.5 DU/Acre	Single Family – 6 (SF-6)	Single Family Residential
South	Maricopa County	Maricopa County	Residential and Agricultural
East	Residential > 2-3.5 DU/Acre	Single Family – 7 (SF-7)	Single Family Residential
West	City of Chandler	City of Chandler	Basha High School
Site	Shopping Center (SC)	Shopping Center (SC)	Vacant land

Project Data Table

Site Development Regulations	Required per LDC Shopping Center (SC)	Proposed
Site Area		Total- 4.43 acres gross
		Total- 3.47 acres net
		Phase I- 10,844 sf net
		Phase II- 16,613 sf net
Building Square Footage		Building A- 3,020 sf

		Outdoor Patio-880 sf
		Building B- 6,944 sf
		Building C- 4,813 sf
		Building D- 5,900 sf
		Building E- 5,900 sf
Maximum Building Height	35'/2	25'
Minimum Building Setbacks		
Side (street)	20'	49'
Side (non-residential)	15'	32'
Rear (non-residential)	15'	30'
Minimum Required Perimeter		
Landscape Area		
Side (street)	20'	31'
Side (non-residential)	15'	26'
Rear (non-residential)	20'	28'
Landscaping (% of lot area)	15%	26%
Parking	Phase I required - 70	Phase I provided - 70
	Phase II required- 68	Phase II provided- 83
	Total required - 138	Total provided-153

DISCUSSION

Site Plan

The proposed project will be built in two phases. Phase I will consist of Buildings A and B, which will include parking, lighting, landscaping and all other required site improvements. The only portion of Phase II being implemented with Phase I would be the paved access road to Merlot Street. Phase I site plan includes a coffee shop and retail shop; however, neither use will front any of the adjacent roads.

The site will be accessed from a new driveway extending from the existing 45' wide Circle K entrance driveway, from a new 30' wide driveway north of the site along Merlot Street and from an existing private driveway that runs north and south adjacent to the Circle K building. Overall the proposed project has designed three (3) points of access to this commercial corner with an additional access point planned for future development on Riggs Road. All access points will include cross-access drives to serve other parts of the overall site plan with future development.

On the south side of Phase II, the applicant has included a water fountain and an outdoor amenity area consisting of built-in seating. Staff has recommended a condition that any future water feature must conform to the Municipal Code requirements for water conservation. Additional features for this site include: new asphalt paving for the driveways, parking and a drive-through lane; 3' evergreen continuous landscape hedges; and three (3) trash enclosures. Screen walls and perimeter fencing will use a combination of smooth stucco over CMU and slump block to help add architectural features that were used on the Circle K building. The trash enclosure will use the slump block with a masonry cap on all enclosures walls and metal gates.

Landscape

The amount of landscaped area proposed on site is 38,647 sq. ft., or 25.5% of the overall net area, which exceeds the 15% minimum requirement. The majority of the landscaping occurs at the north and west sides of the site. Additionally there is adequate landscaping proposed, which will meet code requirements for both building foundation and site perimeter landscaping. The tree species being proposed include 24" box Chinese Red Push Pistache, Fan-Tex Ash and "Rio Salado" Mesquites. A majority of planting material will be a colorful variety of five (5) gallon and one (1) gallon shrubs, including the "Heavenly Cloud" Sage, "New Gold" Lantana, Red Yucca and Bougainvillea varieties.

Grading and Drainage

The proposed grading and drainage plan generally meets the requirements of the Town of Gilbert's Engineering Division. The primary retention is located in underground storm drain tanks along the southern portion of the site.

Elevations, Floor Plan, Colors and Materials

The proposed retail store and coffee shop feature contemporary architecture that will complement the Circle K building to the south. This design incorporates flat modern rooflines with a parapet coping and utilizes color and material changes to create horizontal and vertical interest around all four sides of the building. The colors are a mix of contemporary tans with earth-toned yellow and materials including slump block wall, CMU covered with smooth stucco, steel awnings and accents of composite wood decking. The stucco will be in the following colors: Dunn Edwards "Desert Suede", "Egyptian Sand Gray" and "Wheat Bread Yellow" as well as "Weathered Brown" and composite wood decking in "Brazilian Red".

Lighting

All building lighting, wall-mounted and pole-mounted lights will utilize LED technology and will be oriented to practically eliminate light pollution to adjacent neighbors. All site lighting will be required to comply with Town codes relating to maximum heights, full cut-off shields and a maximum of 0.3 foot-candles measured at the property lines.

Signage

Signage for this project is not included in this approval. A Comprehensive Sign Program would require an Administrative Design Review approval prior to permitting.

Planning Commission Comments from Study Session conducted on February 7, 2018.

During the Study Session, the following comments were brought forth by the Planning Commission Members:

- Planning Commission requested additional information on the vacant property south of the subject site that belongs to Circle K Corporation.
 - o The vacant land, according to the current owner, was planned to be a Carwash structure. During the design review process, the corporation omitted the plan for the carwash structure and designed this portion for an additional storm water

retention basin and reduced their underground capacity during the building review

- Planning Commission questioned the architecture of this proposed project and how it correlates with the adjacent Circle K convenience store.
 - o The proposed site and building design is a standalone design with a variety of colors and materials that will provide inspiration to the design and the layout of the adjacent future development. The proposed materials and massing was modeled after Circle K design.
- Planning Commission suggested creating some additional movement with the north elevations.
 - o The parapet on the north elevation of the proposed coffee shop was revised to provide more movement along this elevation. Also, all parapets for each building were revised to provide additional movement by raising the elevation height at entry areas.
- Planning Commission had some concerns with the trash enclosures nearest the coffee shop.
 - o Phase II will consist of a trash enclosure with a section for a grease collector.
- Planning Commission asked for some clarification on the Traffic Impact Analysis (TIA) for the subject site.
 - o The TIA does not anticipate a large amount of traffic to be generated at the subject site. In addition, the que from the drive-through window was designed three (3) times larger than what is required by LDC.
- Planning Commission had some concerns with the coffee shop drive-through.
 - O The current Land Development Code (LDC) requires three (3) vehicles per drivethrough window for beverage services and the queuing lane can accommodate ten (10) vehicles.

PUBLIC NOTIFICATION AND INPUT

An official notice was posted in all the required public places within the Town and neighborhood notice was provided per the requirements of the Land Development Code (LDC) Article 5.205.

Staff has received no comment from the public.

STAFF RECOMMENDATION

Approve the Findings of Fact and approve DR17-1163, Commercial Development for HHB: Site plan, landscaping, grading and drainage, building elevations, colors and materials, and lighting for approximately 4.43 acres, generally located at the northeast corner of Val Vista and Riggs Roads, and zoned Shopping Center (SC), subject to conditions:

- 1. Construction of the project shall conform to the exhibits approved by the Planning Commission/ Design Review Board at the March 7, 2018 public hearing.
- 2. The construction site plan documents shall incorporate the Standard Commercial and Industrial Site Plan Notes adopted by the Design Review Board on March 11, 2004.

- 3. Signage is not included in this approval. Administrative Design Review approval is required prior to submitting for sign permits.
- 4. Any future water feature (i.e. fountains) must conform to the water conservation requirements in Municipal Code Chapter 66, Article VIII, Section 66-355, Limitations on new water features.

Respectfully submitted,

Gilbert Olgin Planner II

Attachments and Enclosures:

- 1) Fact of Finding
- 2) Notice of Public Hearing/Vicinity Map
- 3) Aerial Photo
- 4) Site and Phasing Plans
- 5) Landscape Plan
- 6) Elevations
- 7) Colors and Materials
- 8) Photometric Plan
- 9) Grading and Drainage Plan

FINDINGS OF FACT DR17-1163, New Development for HHB

- 1. The project as conditioned is consistent with the applicable Design Guidelines;
- 2. The project conforms to the General Plan, and specifically to the Land Use, Community Design, and Environmental Planning Elements;
- 3. The project is consistent with all applicable provisions of the Zoning Code;
- 4. The project is compatible with adjacent and nearby development; and
- 5. The project design provides for safe and efficient provisions of public services.

DR17-1163 New Development for HHB Attachment 2: Notice of Public Hearing/Vicinity Map March 7, 2018

Notice of Public Hearing

PLANNING COMMISSION DATE:

Wednesday, March 7, 2018* TIME: 6:00 PM


LOCATION: Gilbert Municipal Center Council Chambers 50 E. Civic Center Drive Gilbert, Arizona 85296 * Call Planning Department to verify date and time: (480) 503-6745

* The application is available for public review at the Town of Gilbert Development Services division Monday - Thursday 7 a.m. - 6 p.m. Staff reports are available the Monday prior to the meeting athttps://www.gilbertaz.gov/departments/development-services/planning-development/planning-commission

REQUESTED ACTION:

DR17-1163, Commercial Development for HHB: Site plan, landscaping, grading and drainage, building elevations, colors and materials, and lighting for approximately 4.43 acres, generally located at the northeast corner of Val Vista and Riggs Roads, and zoned Shopping Center (SC) Zoning District.

SITE LOCATION:



APPLICANT: Associated Architects, Inc

CONTACT: Brian Johns

ADDRESS: 6 E. Palo Verde Ste. 1

Gilbert, AZ 85296


TELEPHONE: (480) 964-8451

E-MAIL: brian@associated-architects.com



Map





480-699-0195

2012 I.B.C. 2012 I.P.C. 2012 LF C C

V-B, A.F.E.S

313-07-955

BUILDING CODES:

CONST. TYPE

ROSS SITE AREA:

ANDSCAPE AREA:

LLOWABLE AREA:

ARKING CALCULATIONS


GILBERT, ARIZONA

NET SITE AREA:

PARCEL:

FOR GROUP HHB

associatedarchitects, architecture · construction management · plann



FOR HHB GROUP ORNER VAL VISTA & RIGGS RD GILB

A SITE DEVELOPMENT

associatedarchitects, inc. architecture · construction management · planning

p 480-964-8451 www.associated-architects.com 6 East Palo Verde Street, Suite 1 · Gilbert · Arizona · 85296

TOPERALL SITE PLAN









DR17-1163 New Development for HHB Attachment 5: Landscape Plan March 7, 2018

PLANT LEGEND



OMNER
HHB GROUP
N.E. CORNER VAL VISTA DR
& RIGGS RD
(480)-699-0195

LANDSCAPE ARCHITECT
THE MCGOUGH GROUP
11110 N. TATUM BLVD. STE. 100
PHOENIX, AZ 85028
(602)997-9098
CONTACT: CHRISTINE SEIME
CSEIME@MG-AZ.COM





CONCEPTUAL LANDSCAPE PLAN



5TUCCO OVER 8"X8"X16" CMU -PAINTED

MTL. PARAPET


COLOR LEGEND


1 3 MTL. PARAPET COPING - PAINTED





SOUTHEAST VIEW





associatedarchitects, INC. architecture · construction management · planning

arch arch p 480 6 Eas





A-3.1



STUCCO OVER SYBYIS'
ONL - PANTED 3
O

BUILDING 'E'

TALIMINIM
STOREFRONT 17P, AT EACH
SOUTH ELEVATION - BUILDING C

BUILDING 'D'

BUILDING 'C'

NORTHWEST VIEW

BUILDING 'C' (PHASE


BUILDING 'C'



NORTHEAST VIEW



SOUTHEAST VIEW



associatedarchitects, INC. architecture · construction management · planning

A SITE DEVELOPMEN FOR HHB GROUP

assChitecth architecth











BUILDING 'C'

GIGNAGE

BUILDING 'D'

SOUTHWEST VIEW



SOUTHWEST VIEW

BUILDING 'C'

BUILDING 'E'

STUCCO - MAN BODY:

1

MFGR: DUN EDWARDS
COLOR: PRESC PRESCT SUEDE

STUCCO - ACCENT:

2

MFGR: DUN EDWARDS
COLOR: PESSO PAREAT BREAD

STUCCO - ACCENT:

3

MFGR: DUN EDWARDS
COLOR: PESSO PAREAT BREAD

METAL COLIMNS/BEAMS:

4

MFGR: DUN EDWARDS
COLOR: PESSO PAREAT BREAD

METAL COLIMNS/BEAMS:

4

MFGR: DUN EDWARDS
COLOR: PESSO PAREAT BREAD


COMPOSITE MOOD DECKINS:

3

MFGR: REATECH MOOD
MFGR: BRAITECH MOOD

associatedarchitects, INC. architecture · construction management · planning

as archi






A-5.1



MATERIAL/ COLOR BOARD - TOWN OF GILBERT DESIGN REVIEW





MFGR: NEW TECH WOOD PRODUCT: SOLID BOARD USOT COLOR: BRAZILIAN IPE






MFGR: KAWNEER
PRODUCT: ALUMINIUM STOREFRONT
W/CLEAR GLAZING
COLOR: DARK BRONZE NO. 40




MFGR: SUPERLITE PRODUCT: 4"X4"X16" SLUMP BLOCK COLOR: MONTEREY STONE



EXPIRES: 6/30/18

APPROVED BY:	A SITE DEVELOPMENT	
DATE: 10/10/17	HHB GROUP N.E. CORNER VAL VISTA & RIGGS RD GILBERT, AZ	SCALE: 3/16" = 1'-0"

DR17-1163 New Development for HHB Attachment 8: Photometric Plan March 7, 2018



PROPOSED SITE PLAN



			LUMINA	AIRE SCHEDULE				
CALLOUT	SYMBOL	LAMP	MODEL	DESCRIPTION	BALLAST	MOUNTING	INPUT WATTS	VOLTS
SA	∘ □	(64) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GLEON-AF-04-LED-E1-5MQ-8030	GALLEON AREA AND ROADWAY LUMINAIRE(4) 80 CRI, 3000K, 1050mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V MEDIUM OPTICS	PULSE START	WALL	225	120V 1P 2W
SB	о п	(64) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GLEON-AF-04-LED-E1-SL4-8030	GALLEON AREA AND ROADWAY LUMINAIRE(4) 80 CRI, 3000K, 1050mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE IV SPILL LIGHT ELIMINATOR OPTICS	PULSE START	WALL	225	120V 1P 2W
SC		(16) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GWC-AF-01-LED-E1-SL2-7030	GALLEON WALL LUMINAIRE(1) 70 CRI, 3000K, 1050mA LIGHTSQUARE WITH 16 LEDS EACH AND TYPE II SPILL LIGHT ELIMINATOR OPTICS	PULSE START	WALL	59	120V 1P 2W
SD	o	(16) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GWC-AF-01-LED-E1-T3-7030	GALLEON WALL LUMINAIRE(1) 70 CRI, 3000K, 1050mA LIGHTSQUARE WITH 16 LEDS EACH AND TYPE III OPTICS	PULSE START	WALL	59	120V 1P 2W
SF		(32) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GWC-AF-02-LED-E1-T4FT-7030	GALLEON WALL LUMINAIRE(2) 70 CRI, 3000K, 1050mA LICHTSQUARES WITH 16 LEDS EACH AND TYPE IV FORWARD THROW OPTICS	PULSE START	WALL	113	120V 1P 2W
SW		(32) LED	EATON - McGRAW-EDISON (FORMER COOPER LIGHTING) GWC-AF-02-LED-E1-T4W-7030	GALLEON WALL LUMINAIRE(2) 70 CRI, 3000K, 1050mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE IV WIDE OPTICS	PULSE START	WALL	113	120V 1P 2W

GENERAL NOTES:

A. ALL EXTERIOR LIGHT FIXTURES TO COMPLY WITH LOCAL NIGHT SKY ORDINANCE.

B. ALL EXTERIOR LIGHTING AND SIGNAGE TO BE FED WITH #10 CU. U.N.O.

C. ALL EXTERIOR ELECTRICAL EQUIPMENT TO BE NEMA-3R RATED.

D. ALL FIXTURES INSTALLED OUTDOORS SHALL BE RATED FOR DAMP/WET LOCATIONS AS REQUIRED. THE CONTRACTOR SHALL COORDINATE DAMP/WET LOCATION RATING PER NEC ARTICLE 410.10(A). ALL INSTALLATIONS SHALL CONFORM TO NEC ARTICLE 410.10, ALL SUB ARTICLES.

E. ALL PVC CONDUIT MUST HAVE A MINIMUM OF #12 CU. GROUND CONDUCTOR.

F. ALL EXTERIOR LIGHTING SHALL BE LOCATED AND DESIGNED TO PREVENT RAYS FROM BEING DIRECTED OFF OF THE PROPERTY UPON WITH THE LIGHTING IS LOCATED.

GENERAL*PHOTOMETRIC* SCHEDULE

18.4

4662.60

MAXIMUM FOOTCANDLES

-PROPERTY LINE

MINIMUM FOOTCANDLES 0.0 MINIMUM TO MAXIMUM FC RATIO

8

GROUP HHB (
CORNER VAL VISTA SITE

Sociatedarchitects, inc

aschit





MAVEN Job #17RLG221
Tel: (480) 303-0180
ENGINEERING Fax: (480) 302-7927

E-0

8011 S Avenida del Yaqui Guadalupe, Arizona 85283

Note: Any changes made to final bi documents due to field changes wil be billed hourly to the contractor

BASE.
2. CONCRETE BASE SEE STRUCTURAL DRAWINGS.
3. 4" SQUARE TO MATCH FIXTURE (100mph RATED)
4. SEE FIXTURE SCHEDULE FOR TYPE.

LIGHT POLE AND FIXTURE

K GROUND LUG


 \square

NOTE:
CONTRACTOR SHALL PROVIDE NEW POLE BASES WHERE INDICATED ON PLANS.
LIGHTING FIXTURE POLE DETAILS AND DESCRIPTIONS ARE FOR ELECTRICAL
REFERENCES ONLY. THE POLE AND BASE SHALL BE DESIGNED BY A
STRUCTURAL ENGINEER REGISTERED IN THE STATE OF ARIZONA AND BE
STAMPED AND SEALED ACCORDINGLY AS A DEFFERED SUBMITTAL.

1. #4 BARE CU. CONDUCTOR, 20'-0" LONG, COILED CONTINUOUS WITHIN THE LIGHT POLE BASE.

NOTE: LIGHT POLE SHALL BE NONE REFLECTIVE.


KEYED NOTES :



						GLEON GALLEON LED		
Number of Light Squares	Lamp Type	Voltage	Distribution		Color	Mounting	-	DES
Digit squares* 01=1 02=2 03=3 03=3 05=6 06=6 07=7 * 08=8 * 09=9 * 10=10 *	LED=Solid State Light Emitting Diodes	E1=120-277V 347=347V 4 480=480V 4.7	T2=Type II T2R=Type II T3=Type III T3R=Type II	Roadway Roadway	AP=Grey BZ-Bronze BX-Black BX-Black DP=Dark Platinum GM=Graphite Metallic WH=White	[Blank]» Arm for Round or Square Pole EA-Extended Arm* MA-Mast Arm Adapter* WMe-Wall Mount OM-Duick Mount IStandard Length) OMEA-Duick Mount Arm (Extended Length) 11		The the style wald Gal pate ene app
	Maximum F Mounting Hell 19 2 - 20 Mounting Hell 19 2 Mounting Hell 19 3 Mounting Hell 10			Accessories/Order Services ARA PASSE-ACE AND APPEAD AND ARA SERVICES	cately) concent Moli 7 sp - 195- concent Moli 7 sp - 195- concent - 480V concent - 480V control	Trucon Tr		isol the wall was a constraint of the constraint
d to Match Housin Shield ³⁹ analysis to confirm p		lity for all applicati	ons. Refer to our	white paper WR513001EN for a	additional support informatic	in.		4
RL unt arm (QMEA), unt arm (QM) or extern in transformer when or r NEC, not for use with 3rounded Delta syste naires are oriented or	ded quick mount arm IQN ombined with sensor opti nungrounded systems, in ms). n a 90° or 120° drilling patt	tEA). ions. Not available rpedance grounde tern. Refer to arm r	with sensor at 1 d systems or cor nounting require	white paper WF613001EN for a ils. 200mA. Not available in combiner grounded systems (commo ment table.	nation with the HA high ambi only known as Three Phase T	ent and sensor options at 1A. hree Wire Delta, Three Phase		нос
sed IES files for 3000K sed IES files for 3000K s for 600mA, 800mA i 3/DIM at 247V or 400's elet to arm mounting sensors. he PER7 or R photoco o 600mA, 800mA and ired to adjust parame	, 5000K and 6000K when a , 5000K and 6000K when a , 5000K when perform c. 2L in AF-92 through AF-1 requirement table. htrol receptacle with phot I IA drive currents. bers including high and loves.	performing layouts performing layouts ming layouts. Thes 04 requires a large socontrol accessors w modes, sensitivi	. These files are . These files are files are publis housing, norm . See After House, c, time delay, co	published on the Galleon lumi published on the Galleon lumi hed on the Galleon luminaire p ally used for AF-16 or AF-80. Ex is Dim supplemental guide for stoff and more. Consult your lice	naire product page on the we naire product page on the we roduct page on the website. ctended arm option may be n additional information.	balts. balts. squired when mounting two or		
It 8" mounting height. It 20" mounting height It 40" mounting heigh at 40" mounting heigh s operating in low ou installed only requiri 55). L distributions. The LI ISIX, MS/DIM, P. R or	t. t. ht. trput mode. ng network components f ight Square trim plate is p PER7 options. Available in	RF-EM-1, RF-GW-1: ainted black when 120-277V only.	and RF-ROUT-1 i the HSS option i	n appropriate quantities. See w s selected.	rww.eaton.com/lighting for L	equired when mounting two or for more information. umaWatt application information.		ВАТ
aten 121 Highway 74 South eachtree Chy, GA 3026 : 770-486-4800 www.eaton.com/lighting	9 Specifications an dimensions subject change without in	d act to notice.				TD500020EN 2016-09-28 15:31:50	4 5	F
								page 3 OPTICAL
								(Туре IV
								(Type IV v
								(Type V

DESCRIPTION GWO	- AF-01-LED-E1-SL2- - AF-01-LED-E1-T3-7 - AF-02-LED-E1-T4FT - AF-02-LED-E1-T4W- arance is complementary with	030 'SD' -7030 'SP' McG	iraw-Edisor
the Galleon area and site luminaire bring style to lighting applications. Flexible me	ing a modern architectural		'SC', 'SD',
wall surfaces in both an upward and dow Galleon family of LED products deliver e patented, high-efficiency AccuLED Optics energy conscious lighting for parking lot		Project Comments	'SP' & 'SW'
energy conscious lighting for parking lot applications.	s, building and security lighting	Prepared by	
SPECIFICATION FEATURES Construction	men maintenance expected at	Mounting	_
isolated from optics for optimal 1.	men maintenance expected at 0,000 hours. Available in standard A drive current and optional 200mA, 800mA, and 600mA drive	Mounting Gasketed andzinc plated rigid steel mounting attemment fits directly to 4" ishox or wall with the Galleon	
wall aluminum housing die-cast co with integral external heat sinks	urrents.	mounting attachment fits directly to 4" j-box or wall with the Galleon Wall "Hook-NLock" mechanism for quick installation. Secured with	
signification of an IDCC retail becomes	lectrical ED drivers are mounted for ease maintenance, 120-277V 50/60Hz.	black oxide cated allen head set screws whichere concealed but	
integrity, UPLIGHTING: Specify 4	maintenance. 120-277V 50/60Hz, 17V or 480V 60Hz operation. 80V is compatible for use with	accessible fron bottom of fixture.	
additional protections to maintain d	80V Wye systems only. Drivers re provided standard with 0-10V mming. An optional Eaton	Finish Housing finished in super durable TGIC polyester powder coat paint, 2.5 mil sominal thickness	
IP rating. p	oprietary surge protection odule is available and designed withstand 10kV of transient	for superior protection against fade and wear. Standard colors	GWC GALLEON WALL LUMINAIRE
Choice of thirteen patented, high- efficiency Accul FD Ontics. The	ne surge. The Galleon Wall	include black, bronze, grey, white, dark platinum and graphite	1-2 Light Square
optics are precisely designed to shape the distribution maximizing endications and application spacing. AccuLED Optics create consistent	peration in -30°C to 40°C ambient nvironments. For applications ith ambient temperatures acceding 40°C, specify the HA	metallic. RAL and custom color matches available. Consult the McGraw-Edison Architectural	Solid State LE
distributions with the scalability (H	ligh Ambient) option. Emergency tress options for -20°C ambient	Colors brochure for the complete selection.	WALL MOUNT LUMINAIR
requirements. Offered standard in en 4000K (+/- 275K) CCT and minimum se	nvironments and occupancy ensor available.	Warranty Five-year warranty.	
70 CRI. Optional 3000K, 5000K and 6000K CCT. Greater than 90%			
DIMENSIONS			
6-1/2*			
- 15-11/16" [400mm]	12-1/8" [309mm]		
HOOK-N-LOCK MOUNTING	12-170 (3001111)		OL C
			CERTIFICATION DATA UL/cUL Listed LM79 / LM80 Compliant
	•		IP66 Housing ISO 9001 DesignLights Consortium® Qualified®
	ا		ENERGY DATA Electronic LED Driver >0.9 Power Factor
BATTERY BACKUP AND THRU-BRANCH	BACK BOX		<20% Total Harmonic Distortion
6-13/6 [159m			480V/60Hz -30°C Minimum Temperature 40°C Ambient Temperature Rating
(159m)	nj		SHIPPING DATA
15-15/16" [388mm] [43m	6°-		Approximate Net Weight: 27 lbs. (12.2 kgs.)
F4T•N			1130 1
FAT • N Powering Stainess Worldwide		*www.designlights.org	TD514017E August 15, 2017 10:00 A
Pheering Susiness Worldwide page 3		gi	TD514017E August 15, 2017 10:00 A
Powering Bisiness Worldwide page 3 OPTICAL DISTRIBUTIONS Asymmetric Area Distributions		GI MAINTENANCE	August 15, 2017 10:00 A
Possering Statistical Ministration page 3 OPTICAL DISTRIBUTIONS	LUMEN Drive Cu	MAINTENANCE Title 21 Lumen Ambient Temperature (00,000 Falmen) (00,000 (00,000 falmen)	August 15, 2017 10:00 A
Preserve Basicers Modelede pager 3 OPTICAL DISTRIBUTIONS Apprenentic Area Distributions T2 (Type 16) (Type 16) (Type 17)	Drive Cu	MAINTENANCE TM-21 Lumen Project Ministenance DT The Transport Ministenance DT The Transport The Transport	August 15, 2017 10:00 A WC GALLEON WALL LUMINAIRE
Prescript Balence Richlorib DOPTICAL DISTRIBUTIONS - Asymmetric Area Distributions (Type II) (Type II) (Type II) (Type II)	Drive Cu Up to 1.2A	MAINTENANCE TM-21 Limins Project	August 15, 2017 10:00 A
Powersy Barness Workshold DPTICAL DISTRIBUTIONS Asymmetric Area Distributions T2 S12 (Pays 11) (Pays 11) (Pays 11)	Drive Cu Up to 1.2A	MAINTENANCE	August 15, 2017 10:00 A
Preserve Brothouse Property August 1999 2 Property 1999	Drive Cu Up to 12.24	MAINTENANCE TM-21 Limins Project	August 15, 2017 10:00 A
Preserve Brothouse PPTICAL DISTRIBUTIONS TAymmetic Area Distributions T(type 11) (Type 11) (Ty	Drive Cu Up to 12.24	MAINTENANCE TM-21 Limins Project	August 15, 2017 10:00 A
Princery Buleau Richards Asymmetric Area Biothodolose Tops 10 Chys II with Spill Control Type III with Spill Control	Delec Cu 12/10 12/10 12/10 12/10 12/10 13/10 14/10	MAINTENANCE TM-21 Limins Project	August 15, 2017 10:00 A
Preserve Invited Red Control (Type III with Spill Control (Type III With S	Delec Cu Up to U	MAINTENANCE TM-21 Limins Project	August 15, 2017 10:00 A
Prescript Indexes Redicate Asymmetric Area Biotecholories Tops 10 Type 1	Delete Cut Uses to 1200 Uses	MAINTENANCE TM21 Lummar Project Project TM21 Lummar Project TM21 Lummar Project	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE Bed al 0000 100 100 100 100
Prescript Indicate Richards Asymmetric Area Distributions Asymmetric Area Distributions (Type II) (Type III)	Delete Cut Uses to 1200 Uses	MAINTENANCE	August 15, 2017 1000 A
Prescriptores Redición Asymmetric Assa Distributions Asymmetric Assa Distributions (Type III well Spill Control) (Type III well Spill Control) (Type III well Spill Control) (Type IV Forward Through	Defect Co. 1200 1200 1200 1200 1200 1200 1200 12	MAINTENANCE	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Princery Buleau Tricklock Asymmetric Assa Distributions Asymmetric Assa Distributions Supplication of Suppl	Deliver Cut Use Su	MAINTENANCE This Limite Model Model	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Primerly Buleau Triodoub Sep 3 PPTICAL DISTRIBUTIONS Asymmetric Area Statebutions Superior State (Type III)	Deliver Cut Use Su	MAINTENANCE TM-21 Lummer Proper	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Primary Index Distributions Asymmetric Area Distribution Type III with Spill Control (Type III with Spill Control (Type IV Normal Throng) (Type IV with Spill Control (Type IV with Spill Control (Type IV with Spill Control (Type IV with Spill Control) (Type IV with Spill Control (Type IV with Spill Control (Type IV with Spill Control (Type IV with Spill Control)	Deliver Cut Use 15	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Primary Butters Workloads Asymmetric Area Distributions Asymmetric Area Distributions (Type III with Spill Control (Type I	Deliver Cut Up to	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 /
Present Redución Asymmetric Area Distributions Asymmetric Area Distributions (Type III wells Spill Control (Type III wells	Deliver Cut Use 15	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Preserving Barboar Brothouse Asymmetric Area Distributions Types 10 (Types 10 State Control	Deliver Cut Use 15	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Preserve Boston Rodolos Asymmetric Area Statisticales Type III with Spill Control (Type III with Spill Control)	Deliver Cut Use 15	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 /
Present Redución Asymmetric Area Distributions Asymmetric Area Distributions (Type III wells Spill Control (Type III wells	Deliver Cut Use 15	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Princery Buttern Roddows Asymmetric Area Distributions (Type II) (Type III with Spall Control (Type IV Secure Medium) (Type IV Secure Medium)	Delec Cu Up to	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Primary Buleau Richards Appropriate Area Distributions Appropriate Area Distributions Type 10 (Type 11 with Spill Control) (Type IV Square Narrow) (Type IV Square Narrow) (Type V Square Narrow) (Type V Square Narrow) (Type V Square Narrow) (Type V Square Narrow)	Delec Cu Up to	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Pricary Bureau Horizone PTICAL DISTRIBUTIONS Asymmetric Area Distributions (Type II with Spill Control (Type III with Spill Control (Type IV Spill With Spill Control (Type IV With Spill Contro	Delec Cu Up to	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s
Princety Buleau Nordous Appendix Area Distributions Appendix Area Distributions (Type II with Spill Control) (Type IV With Spill Control) Symmetric Distributions (Type V Scans Narrow)	Delec Cu Up to	MAINTENANCE TM-21 Lummar	August 15, 2017 1000 A August 15, 2017 1000 A NC GALLEON WALL LUMINAIRE sed s s s s s s s s s s s s s

Factor 121 Highway 11 South Prestries City, CA 30259 Pr. 774 466 4600 South Controlled Sout





A SITE DEVELOPMENT

associatedarchitects . construction management · planning

p 480-964-8451 www.associated-architects.com 6 East Palo Verde Street, Suite 1 · Gilbert · Arizona · 85296

HHB GROUP CORNER VAL VISTA & RIGGS F

MAVEN Job #17RLG221
Tel: (480) 303-0180
ENGINEERING Fax: (480) 302-7927
8011 S Avenida del Yaqui
Guadalupe, Arizona 85283

E-1

Note: Any changes made to final bid documents due to field changes will be billed hourly to the contractor.

